

PROPOSED RESOLUTION NO. 72- 2023

A RESOLUTION AUTHORIZING THE COUNTY EXECUTIVE TO EXECUTE AN INTER-MUNICIPAL AGREEMENT WITH THE WOODMERE FIRE DISTRICT IN RELATION TO A PROJECT TO PROVIDE FUNDING FOR THE PURCHASE AND INSTALLATION OF TWO TRAFFIC SIGNALS THAT SIGNAL WHEN FIREFIGHTERS, TRUCKS, OR OTHER VEHICLES ENTER OR EXIT THE FIREHOUSE.

WHEREAS, Nassau County (“the County”) and the Woodmere Fire District (“the District”) are authorized, pursuant to Article 9, Section 1 of the New York State Constitution and Article 5-G of the General Municipal Law (“GML”) to enter into intergovernmental agreements; and

WHEREAS, it is in the best interests of the County and the District to share resources in undertaking a project to provide funding for the purchase and installation of two traffic signals that signal when firefighters, trucks, or other vehicles enter or exit the firehouse (the “Project”); and

WHEREAS, the County and the District believe it to be in the best interest of the taxpayers of their respective municipalities to authorize intermunicipal cooperation with respect to the mutual covenants set forth in the proposed Inter-Municipal Agreement (“Agreement”), a copy of which is on file with the Clerk of the Legislature; NOW, THEREFORE, be it

RESOLVED, that the Nassau County Legislature hereby authorizes the County Executive to execute the Agreement and to execute any and all other instruments, related documents or ancillary agreements and to take such other action as is necessary to effectuate and carry out the intent and purpose of the Agreement; and it is further

RESOLVED, that pursuant to the provisions of the State Environmental Quality Review Act (“SEQRA”), 8 N.Y.E.C.L. section 0101 *et seq.* and its implementing regulations, Part 617 of 6 N.Y.C.R.R., and Section 1611 of the County Government Law of Nassau County said Project is a “Type II Action” within the meaning of Part 617.5(c) of 6 N.Y.C.R.R., and, accordingly, is of a class of actions which do not have a significant effect on the environment and no further review is required.